

SFN[™] SPINNING FLARE NUT



Spinning Flare Nut

PEM[®] SFN[™] spinning flare nuts are installed by simply pressing them into a properly sized, pre punched mounting hole. These fasteners are then permanently captivated in the panel but still able to spin freely within the sheet. This allows quick attachment of mating hardware, eliminating much of the need for loose fasteners such as flange nuts. When used with a self-clinching stud or other externally threaded fixed hardware, all loose hardware is eliminated from the applications.

- Installs by pressing into properly sized, pre-punched embossed mounting hole.
- Permanently captive and spins freely in the sheet. .
- Quick attachment to mating hardware promotes savings in assembly time and costs. •
- Can eliminates all loose hardware including flange nuts. .
- Installs into any sheet hardness.

Custom sizes are available on special order. Contact us for more information.



- A

- · Held in place by flaring the fastener
- · Rotates freely in sheet
- Installs into any sheet hardness
- Installs into sheets as thin as 1mm



All dimensions are in millimeters.



Pre-Embossed Mounting Hole (1)



Part Number Designation SFN M6 71

Finish Thread Length Code

Туре

Code

ØB1 ØB2 B3 Type Hole Size Thread Sheet Panel Panel Fastener Material Emboss Dia. Thread Shank (Shank) **Emboss Height** C Size x Thickness In Sheet Ε н Т Pitch Steel Code Code Max. ±0.1 +0.08 Nom Nom Max. ±0.3 -0.2 ±0.25 1.3 Metric 1 1 M5 x 0.8 SFN М5 7.5 6 10 0.4 7.25 12.8 7.98 2 1.8 1.5 1.3 00 1 SFN M6 x 1 M6 8.75 12.25 0.7 8.5 15.5 9.98 7 1 1.8 1.5 00 1.3 1 SEN M8 M8 x 1.25 10.5 14 9 1 10 25 20 12 98 9 1 1.8 1.5

(1) Variations in mounting hole size and sheet material hardness may affect results of the hole preparation procedure shown here. For technical assistance, send an e-mail to techsupport@pemnet.com.

Material And Finish Specifications

Threads: Internal, ASME B1.1, 2B / ASME B1.13M, 6H Material: Carbon steel Finish: ZI - Zinc plated per ASTM B633, SC1 (5µm), Type III, colorless⁽²⁾ For use in: Any sheet hardness

(2) See PEM Technical Support section of our web site (www.pemnet.com) for related plating standards and specifications.

Spinning Flare Nut

PUNCH DETAIL

130

Nom.

3.48 mm

Ref.

1 mm

+0.129

R 0.38 mm Nom.

Installation

- 1. Prepare properly sized hole in sheet.
- 2. Emboss hole in sheet. Do not perform any secondary operations such as deburring.
- 3. Insert fastener into the recessed anvil and place the mounting hole (preferably the punch side) over the shank of the fastener.
- 4. With installation punch and anvil surfaces parallel, apply squeezing force to flare the shank of the fastener.

PEMSERTER[®] Installation Tooling ⁽¹⁾

		Anvil	Dimensions	Flaring		
Туре	Thread Code	A ±0.127	B ±0.025	P Min.	Anvil Part Number	Punch Part Number
SFN	M5	14.5	9.5	7.49	8018538	8018670
SFN	M6	19	11.81	8.51	8018539	8018670
SFN	M8	22.61	15.29	10.49	8018540	8018670

If your application requires installation into a flat sheet, please contact our technical support at <u>techsupport@pemnet.com</u> as we have tooling options available.

(1) <u>Click here</u> for a quote on Haeger® custom installation tooling.

Installation Notes

- For best results we recommend using a HAEGER[®] or PEMSERTER[®] press for installation of PEM self-clinching fasteners. Please check our website for more information.
- Visit the Animation Library on our website to view the installation process for select products.

For Additional HAEGER[®] and PEMSERTER[®] Tooling Information / Part Numbers





Nom

Æ

Performance Data⁽¹⁾

Metric	Туре	Thread Code	Shank Code	Test Sheet Material						
				Stainless Steel		Cold-rolled Steel		Aluminum		
				Installation (kN)	Pushout (N)	Installation (kN)	Pushout (N)	Installation (kN)	Pushout (N)	
	SFN	M5	1	7.2	862	7.2	642	5.8	428	
			2	7.2	1261	7.2	1261	5.8	1261	
	SFN	M6	00	12.9	964	12.9	642	12.9	428	
			1	12.9	1431	12.9	1431	12.9	1329	
	SFN	M8 -	00	12.9	964	12.9	642	12.9	642	
	SEN		1	12.9	1431	12.9	1431	12.9	1329	

(1) Published installation forces are for general reference. Actual set-up and confirmation of complete installation should be made by observing proper seating of fastener as described in the installation steps. Other performance values reported are averages when all proper installation parameters and procedures are followed. Variations in mounting hole size, sheet material, and installation procedure may affect performance. Performance testing this product in your application is recommended. We will be happy to provide technical assistance and/or samples for this purpose.

> Custom sizes are available on special order. Contact us for more information.

Captivated spinning nuts have been designed for self-clinching into a properly sized pre-punched straight hole. Contact <u>Tech Support</u> for more information

All PEM® products meet our stringent quality standards. If you require additional industry or other specific <u>quality certifications</u>, special procedures and/or part numbers are required. Please contact your local sales office or representative for further information.

Regulatory compliance information is available in Technical Support section of our website. Specifications subject to change without notice. See our website for the most current version of this bulletin.



North America: Danboro, Pennsylvania USA | E-mail: info@pemnet.com | Tel: +1-215-766-8853 | 800-237-4736 (USA) Europe: Galway, Ireland | E-mail: <u>europe@pemnet.com</u> | Tel: +353-91-751714 Asia/Pacific: Singapore | E-mail: <u>singapore@pemnet.com</u> | Tel: +65-6-745-0660 Shanghai, China: E-mail: <u>china@pemnet.com</u> | Tel: +86-21-5868-3688 Visit our PEMNET[™] Resource Center at <u>www.pemnet.com</u> • Technical support e-mail: <u>techsupport@pemnet.com</u>