



PEM® brand SNAP-TOP® standoffs are designed for permanent installation into metal panels or PC Boards



**SSA**<sup>TM</sup>

SNAP-TOP® STANDOFFS






# PEM® SNAP-TOP® Standoffs are designed for permanent installation into metal panels or PC boards.

- Spring action to hold PC Boards and subassemblies securely.
- Allows for quick removal.
- Eliminates screws and other threaded hardware.
  - Less parts to handle during assembly.
  - Less risk of damaging delicate circuitry because of loose parts falling into your equipment.
- Available in three different mounting styles:
  - Self-clinching for installation into ductile materials
  - Broaching for installation into PC Board and brittle material.
  - Surface mount for installation to PC Board
- Permanently installed in the panel.


Installation forces, pushout and snap forces are listed on page 7.






SSA™/SSS™/SSC™ standoffs clinched into a metal panel





KSSB™ standoffs broached into a PC board

PC board or metal panel snapped in place




SMTSSS™ standoffs surface mounted to PC Board


To be sure that you are getting genuine PEM® brand SNAP-TOP® standoffs, look for the "dimple" registered trademark.




# SSA™/SSS™/SSC™ STANDOFFS FOR CLINCHING INTO METAL SHEETS









#### **FASTENER MATERIAL:**

SSA: Aluminum

SSS: Carbon Steel

SSC: 400 Series Stainless Steel

#### FINISH:

SSA: Natural

SSS: ZI - Zinc plated per ASTM B633, SC1 (5µm), Type III, colorless, plus clear chromate (1)

SSC: Passivated and/or tested per ASTM A380

#### All dimensions are in inches.


4		Type tener Mate Carbon	rial Stainless	Panel 2 (Top) Mounting Hole					Length Co th Code in						B ±.005	C Max.	H ±.005	P ±.005
5	Aluminum	Steel	Steel	Diameter Code	.250	.312	.375	.437	.500	.562	.625	.750	.875	1.00		iii w		
=	SSA	SSS	SSC	156	8	10	12	14	16	18	20	24	28	32 (2)	.188	.212	.250	.141

#### All dimensions are in millimeters.

TRIC	Fas Aluminum	Type tener Mate Carbon Steel	rial Stainless Steel	Panel 2 (Top) Mounting Hole Diameter Code					gth Code "L" Code in mill					B ±0.13	C Max.	H ±0.13	P ±0.13
ME	SSA	SSS	SSC	4MM	8	10	12	14	16	18	20	22	25 <sup>(2)</sup>	4.78	5.39	6.35	3.58

- (1) See PEM Technical Support section of our web site for related plating standards and specifications.
- (2) This length not available for Type SSA aluminum fasteners.

## **APPLICATION DATA**



# All dimensions are in inches

			741 GIIII GII GIGI GIG TIT III										
_					Panel 1						Panel 2		
	FIED	Туре	Hardness Max. (2)	Bottom Mounting Hole B +.003000	Panel Material	Thickness Min.	Edge Distance C, Min.	Location Tolerance	Hardness Max.	Top Mounting Hole A +.003000	Panel Material	Thickness Range (3)	Edge Distance C <sub>2</sub> Min.
	Ξĺ	SSA	HRB 50 / HB 82										
	>	SSS	HRB 60 / HB 107	.213	Metal	.040	.260	±.005	No Limit	.156	PC Board or Metal	.040070	.100
		SSC	HRB 70 / HB 125								OI WIELAI		Į.

#### All dimensions are in millimeters.


				Panel 1						Panel 2		
TRIC	Туре	Hardness Max. (2)	Bottom Mounting Hole B +0.08	Panel Material	Thickness Min.	Edge Distance C, Min.	Location Tolerance	Hardness Max.	Top Mounting Hole A +0.08	Panel Material	Thickness Range (3)	Edge Distance C <sub>2</sub> Min.
ш	SSA	HRB 50 / HB 82										
Σ	SSS	HRB 60 / HB 107	5.41	Metal	1	6.6	±0.13	No Limit	4	PC Board or Metal	1 - 1.8	2.54
	SSC	HRB 70 / HB 125								Of Wetai		


- (2) HRB Hardness Rockwell "B" Scale. HB Hardness Brinell.
- (3) Available for thicker boards on special order.




# KSSB™ STANDOFFS FOR BROACHING INTO PC BOARDS









#### **FASTENER MATERIAL:**

#### FINISH:

**Brass** 

Standard: X - Plain

Optional: ET - Electro-plated Tin, ASTM B545 Class B (5µm) with preservative coating, annealed (1)

(Optional ET finish is available on special order with additional charge.)

#### All dimensions are in inches.


I	ΕD	Туре	Panel 2 (Top) Mounting Hole				(Len		de "L" ±.005 32nds of an					B ±.005	C ±.003	H ±.005	P ±.005	T ±.005
	┰		Diameter Code	.250	.312	.375	.437	.500	.562	.625	.750	.875	1.00	±.003	1.003	±.003	±.003	±.003
	_ _ _	KSSB	156	8	10	12	14	16	18	20	24	28	32	.188	.226	.250	.141	.020

#### All dimensions are in millimeters.

TRIC	Туре	Panel 2 (Top) Mounting Hole Diameter Code					ngth Code "L" I Code in milli					B ±0.13	C ±0.08	H ±0.13	P ±0.13	T ±0.13
ME	KSSB	4MM	8	10	12	14	16	18	20	22	25	4.78	5.74	6.35	3.58	0.51

(1) See PEM Technical Support section of our web site for related plating standards and specifications.

## **APPLICATION DATA**



#### All dimensions are in inches.

	_											
				Panel 1						Panel 2		
IFIED	Туре	Hardness Max. (2)	Bottom Mounting Hole B +.003000	Panel Material	Thickness Min.	Edge Distance C <sub>1</sub> Min.	Location Tolerance	Hardness Max.	Top Mounting Hole A +.003000	Panel Material	Thickness Range (3)	Edge Distance C <sub>2</sub> Min.
N N	KSSB	HRB 65 / HB 116	.213	PC Board	.050	.220	±.005	No Limit	.156	PC Board or Metal	.040070	.100

#### All dimensions are in millimeters.

				Panel 1						Panel 2		
TRIC	Туре	Hardness Max. (2)	Bottom Mounting Hole B +0.08	Panel Material	Thickness Min.	Edge Distance C <sub>1</sub> Min.	Location Tolerance	Hardness Max.	Top Mounting Hole A +0.08	Panel Material	Thickness Range (3)	Edge Distance C <sub>2</sub> Min.
M	KSSB	HRB 65 / HB 116	5.41	PC Board	1.27	5.59	±0.13	No Limit	4	PC Board or Metal	1 - 1.8	2.54


- (2) HRB Hardness Rockwell "B" Scale. HB Hardness Brinell.
- (3) Available for thicker boards on special order.




# SMTSSS™ REELFAST® SNAP-TOP® STANDOFFS



**NOTE: REELFAST®** SNAP-TOP® SMTSSS™ standoffs are for on-only applications. For removal applications, mounting hole A can be increased to reduce removal force.





Stencil Masking Examples 000

#### **FASTENER MATERIAL:** FINISH:

Carbon Steel

ET - Electro-plated Tin, ASTM B545 Class A with clear preservative coating, annealed (1)(2)

- (1) See PEM Technical Support section of our web site for related plating standards and specifications.
- (2) Optimal solderability life noted on packaging.

#### All dimensions are in inches.

FIED	Top Board Mounting Hole A Diameter Code	Type and Material		de "L" ±.005 32nds of an inch) .375	Min. Sheet Thickness	A Max.	C Max.	E ±.005	B ±.005	P ±.005	ØH Hole Size in Sheet +.003000	ØD Min. Solder Pad
Z	156	SMTSSS	8	12	.060	.060	.161	.250	.188	.141	.166	.276


#### All dimensions are in millimeters.

TRIC	Top Board Mounting Hole A Diameter Code	Type and Material		gth Code "L" : Code in mill		Min. Sheet Thickness	A Max.	C Max.	E ±0.13	B ±0.13	P ±0.13	ØH Hole Size in Sheet +0.08	ØD Min. Solder Pad
M	4MM	SMTSSS	6	8	10	1.53	1.53	4.09	6.35	4.8	3.58	4.22	7

#### **NUMBER OF PARTS PER REEL**


Type, Material and Size	Length Code	/ Numb	er of P	arts per Reel		
SMTSSS-156	-8 / 28	)	-12 / 220			
SMTSSS-4MM	-6 / 300	-8 /	250	-10 / 200		

Packaged on 330 mm recyclable reels. Tape width is 24 mm. Supplied with polyimide patch for vacuum pick up. Reels conform to EIA-481.





## **APPLICATION DATA**




#### All dimensions are in inches.

				Panel 1					Panel 2		
IFIED	Type and Material	Hardness Max.	Bottom Mounting Hole B +.003000	Panel Material	Thickness Min.	Location Tolerance	Hardness Max.	Top Mounting Hole A +.003000	Panel Material	Thickness Range	Edge Distance C Min.
2 5	SMTSSS	No Limit	.166	P.C. Board	.060	±.005	No Limit	.156	P.C. Board or Metal	.040070	.100

#### All dimensions are in millimeters.

			Panel 1					Panel 2				
	ETRIC	Type and Material	Hardness Max.	Bottom Mounting Hole B +0.08	Panel Material	Thickness Min.	Location Tolerance	Hardness Max.	Top Mounting Hole A +0.08	Panel Material	Thickness Range	Edge Distance C Min.
- 1	Σ	SMTSSS	No Limit	4.22	P.C. Board	1.53	±0.13	No Limit	4	P.C. Board or Metal	1 - 1.8	2.54

#### INSTALLATION



#### SSA™/SSS™/SSC™ Standoffs

- 1. Prepare properly sized mounting hole in Panel 1 (Bottom).
- 2. Place the fastener through the mounting hole (preferably the punch side) of the panel and into the anvil as shown in the drawing.
- 3. With punch and anvil surfaces parallel, apply only enough squeezing force to embed the head flush with the panel.

# PUNCH PANEL 1 (Bottom) L + .200"/ ANVIL 5.08mm MIN. .216-.219" / 5.49-5.56mm

#### KSSB™ Standoffs


- 1. Prepare properly sized mounting hole in Panel 1 (Bottom).
- 2. Place the fastener through the mounting hole of the board and into the anvil as shown in the drawing.
- 3. With punch and anvil surfaces parallel, apply only enough squeezing force to bring the head into contact with the board.

#### **Installation Tooling**

Tuno	HAEGER®	Part No.	PEMSERTER® Part Number		
Туре	Anvil	Anvil Punch		Punch	
SSA, SSS, SSC	H-109-6/M3.5L	H-108-0019L	970200015300	975200048	
KSSB	(1)	(1)	970200015300	975200048	

(1) Click here for a quote on Haeger® custom installation tooling.


#### **SMTSSS™ Standoffs**



#### **INSTALLATION NOTES**

- For best results we recommend using a HAEGER® or PEMSERTER® machine for installation of PEM® self-clinching fasteners. Please check our website for more information.
- Visit the Animation Library on our website to view the installation process for select products.

# For Additional HAEGER® and PEMSERTER® Tooling Information / Part Numbers




#### PERFORMANCE DATA(1)


#### SSA™/SSS™/SSC™ Standoffs - Self-clinching





#### KSSB™ Standoffs - Broaching







			Panel 1 (Bottom)		Panel 2 (Top) (Removable)			
	Type Test Sheet Material		Installation (Ibs.)	Pushout (lbs.)	Max. First on Snap Force (lbs.)	Min. First off Snap Force (lbs.)	Min. 15th off Snap Force (lbs.)	
ED	SSA	Aluminum	1500	200	13	3	1	
ΙĒ	SSS	Aluminum	1500	200	20	6	2	
Ξ	SSC	Aluminum	1500	200	20	6	2	
	SSS	Cold-rolled Steel	3600	400	20	6	2	
	SSC	Cold-rolled Steel	3600	400	20	6	2	
	KSSB	FR-4 Fiberglass	500	110	13	3	1	

			Panel 1 (Bottom)		Panel 2 (Top) (Removable)			
	Type Test Sheet Material		Installation (kN)	Pushout (N)	Max. First on Snap Force (N)	Min. First off Snap Force (N)	Min. 15th off Snap Force (N)	
ပ	SSA	Aluminum	6.7	890	58	13	4	
~	SSS	Aluminum	6.7	890	89	27	9	
ΕŢ	SSC	Aluminum	6.7	890	89	27	9	
Σ	SSS	Cold-rolled Steel	16	1780	89	27	9	
	SSC	Cold-rolled Steel	16	1780	89	27	9	
	KSSB	FR-4 Fiberglass	2.2	484	58	13	4	

#### SMTSSS™ Standoffs - Surface Mount





	Panel 1 (Botton	Panel 2 (Top)		
Type, Material and Size	Test Sheet Material	Pullout <sup>(2)</sup>	Max. Snap-on Force	Min. Snap Retention Force
SMTSSS-156	.062" Single Layer FR-4	113 lbs.	20 lbs.	6 lbs.
SMTSSS-4MM	1.58 mm Single Layer FR-4	500 N	89 N	27 N

### **TESTING CONDITIONS**

**Oven** Quad ZCR convection oven with 4 zones

**High Temp** 473° F / 245° C **Board Finish** 62% Sn. 38% Pb

Board .062" / 1.58 mm thick, Single Layer FR-4

Screen Printer Ragin Manual Printer

Vias None

Spokes 2 Spoke Pattern

Paste Alpha CVP-390 Sn96.5/3.0Ag/0.5Cu (SAC305)

Stencil .0067" / 0.17 mm thick

- (1) Published installation forces are for general reference. Actual set-up and confirmation of complete installation should be made by observing proper seating of fastener as described in the installation steps. Other performance values reported are averages when all proper installation parameters and procedures are followed. Variations in mounting hole size, sheet material, and installation procedure may affect performance. Performance testing this product in your application is recommended. We will be happy to provide technical assistance and/or samples for this purpose.
- (2) With lead-free paste. Average values of 30 test points. The data presented here is for general comparison purposes only. Actual performance is dependent upon application variables. We will be happy to provide samples for you to install. If required, we can also test your installed hardware and provide you with the performance data specific to your application.

All PEM® products meet our stringent quality standards. If you require additional industry or other specific quality certifications, special procedures and/or part numbers are required. Please contact your local sales office or representative for further information.

Regulatory <u>compliance information</u> is available in Technical Support section of our website. Specifications subject to change without notice. See our website for the most current version of this bulletin.

# **PennEngineering**



North America: Danboro, Pennsylvania USA = E-mail: info@pemnet.com = Tel: +1-215-766-8853 = 800-237-4736 (USA)

**Europe:** Galway, Ireland • E-mail: <a href="mailto:europe@pemnet.com">europe@pemnet.com</a> • Tel: +353-91-751714 **Asia/Pacific:** Singapore • E-mail: <a href="mailto:singapore@pemnet.com">singapore@pemnet.com</a> • Tel: +65-6-745-0660

Shanghai, China • E-mail: china@pemnet.com • Tel: +86-21-5868-3688

Visit our PEMNET™ Resource Center at www.pemnet.com = Technical support e-mail: techsupport@pemnet.com